

NEW

WorkForce Pro WF-C5710 Network Multifunction Color Printer with Replaceable Ink Pack System

Contact Us 800.463.7766

Mon-Fri 6am-8pm, Sat 7am-4pm PT



Compact, cost-saving multifunction printer that drives productivity.

Powered by PrecisionCore® printing technology, the WorkForce Pro WF-C5710 features the next generation of inkjet printing technology. This compact workhorse also includes an innovative Replaceable Ink Pack System to minimize your interventions. And, you save on printing – up to 45 percent lower total printing costs vs. color laser¹, without compromising productivity. The WF-C5710 offers print speeds of 24 ISO ppm (black/color)[†], a fast first page out with no warmup time, plus fast scan speeds. With a 50-page Auto Document Feeder and auto 2-sided printing, copying, scanning and faxing, the WF-C5710 is ideal for busy workgroups. It even includes advanced security features.

4-in-1 with Wireless & Ethernet: Print / Copy / Scan / Fax

Ink: 4-color DURABrite® Ultra pigment ink

ISO Print Speed: Black: 24 ISO ppm[†]; Color: 24 ISO ppm[†]

Model: C11CG03201

Overview ▶

PrecisionCore

Powered by PrecisionCore

ISO-PPM

ISO print speeds of 24 ISO ppm (black) and 24 ISO ppm (color)¹

Automatic Two-Sided Scanning

Save time with auto-duplex scanning through the Auto Document Feeder

Wireless and Ethernet Network Ready

Share one printer with multiple computers in your home or office, using a wireless or wired network.

IT Admin Tools

Administrative controls for security, accessibility, status management, maintenance and more.

4.3" Touchscreen

Intuitive 4.3" color LCD with gesture navigation

- **Powered by PrecisionCore** — the next-generation of inkjet printing technology; plus, Epson's innovative Replaceable Ink Pack System
- **Easy on your budget** — up to 45 percent lower total printing costs vs. color laser¹
- **Productive workspace** — compact footprint for a streamlined, efficient workstation
- **Blazing fast print speeds; no warmup time** — 24 ISO ppm (black/color)[†]; plus, fast first page out
- **Enhance your productivity** — 50-page duplex Automatic Document Feeder; auto 2-sided print, copy, scan and fax; fast scan speeds; Document Capture Pro software included
- **Security features** — PIN number certification for job release; user control access; printer and network settings via Web Config with printer's IP address; SSL/TLS security; IPsec
- **Minimize your interventions** — Replaceable Ink Pack System lets you print up to 5,000 ISO pages without changing the ink packs²; up to 830 sheets total paper capacity with optional second paper tray
- **Enabled for remote printer data collection** — compatible with MPS software solutions from PrintFleet[®], ECi (FMAudit[®]) and others
- **Pro-quality results to make your business look its best** — laser-sharp text and brilliant colors on a wide variety of media

Designed for use exclusively with Epson ink packs*.

Eco Features

- Save up to 50% of your paper supply with automatic, 2-sided printing
- ENERGY STAR[®] qualified
- RoHS compliant
- Recyclable product³
- Epson America, Inc. is a SmartWaySM Transport Partner⁴

Better Products for a Better Future™

For more information on Epson's environmental programs, go to www.epson.com/environment

What's In The Box:

- Epson WorkForce Pro WF-C5710 multifunction printer
- Power cord
- DURABrite[®] Ultra Ink packs²
 - 4 T902 initial ink packs: Black, Cyan, Magenta, Yellow

Specifications



Print:

Printing Technology:

PrecisionCore 4S printhead 4-color inkjet

Minimum Ink Droplet Size:

As small as 3.8 picoliters

Maximum Print Resolution:

4800 x 1200 optimized dpi

ISO Print Speed:

- Black: 24 ISO ppm†
- Color: 24 ISO ppm†

2-Sided ISO Print Speed:

- Black: 15 ISO ppm†
- Color: 15 ISO ppm†

Ink:

Ink Type:

DURABrite Ultra pigment ink

Ink Palette:

Cyan, Magenta, Yellow and Black

Ink Configuration:

4 individual ink packs

Replacement Ink:

- T902 Black, Cyan, Magenta, Yellow²
- T902XL Black, Cyan, Magenta, Yellow²
- T902XXL Black²

Ink Yield Information:

- T902 Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 3,000, Color: 3,000)²
- T902XL Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 5,000, Color: 5,000)²
- T902XXL Black (Yield, ISO pages – Black: 10,000)²

General:

Operating Systems:

- Windows® 10
- Windows 8.x (32 bits, 64 bits)
- Windows 7 (32 bits, 64 bits)
- Windows Vista® (32 bits, 64 bits)
- Windows XP SP3 (32 bits)
- Windows XP Professional x64
- Mac OS® X 10.5.8 – 10.11.x⁸

Server Systems:

- Windows Server® 2012 R2⁷
- Windows Server 2012⁷
- Windows Server 2008 R2⁷
- Windows Server 2008⁷
- Windows Server 2003 R2⁷
- Windows Server 2003⁷
- Mac OS X Server⁸

Temperature:

- Operating: 50 ° to 95 °F (10 ° to 35 °C)
- Storage: -4 ° to 104 °F (-20 ° to 40 °C)

Humidity:

- Operating: 20 – 80%
- Storage: 5 – 85% (no condensation)

Sound Level:

- Power: 6.6 dB(A)
- Pressure: 54 dB(A)

Dimensions:

- Printing: 16.7" x 22.8" x 17.7"
- Storage: 16.7" x 21.1" x 14.1"

Weight:

40.6 lb

Safety Approvals:

Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA - CEI/IEC CISPR 22 class B

Copy:

Copy Speed:

- Black: 22 ISO cpm†
- Color: 22 ISO cpm†

Copy Quality:

Color/Black-and-White: Standard/Best

Copy Quantity:

1 – 999 (PC-free)

Maximum Copy Size:

8.5" x 14"

Copy Features:

- Auto 2-sided
- Preview
- Resize
- ID Copy
- Collate
- Adjustable Copy Density
- Remove Punched Holes
- Remove Shadows

Specifications Scanner:

Scanner Type:

Color flatbed / Automatic 2-sided ADF

Photoelectric Device:

Color CIS line sensor

Optical Resolution:

1200 dpi

Hardware Resolution:

1200 x 2400 dpi

Maximum Resolution:

9600 dpi interpolated

Color Bit Depth:

48-bit color input/24-bit color output

Scan Features:

Other:

- Scan to PC via Document Capture Pro
- Scan to Cloud⁵ (including email)
- Memory Device
- Scan to Network Folder
- Password Protected PDFs

Fax:

Fax Settings:

Black-and-white and color

Fax Speed:

Modem: 33.6 Kbps – as fast as 3 sec per page

Memory:

Up to 550 pages

Speed Dials:

200 (max.)

PC Fax:

Supported

Connectivity:

Standard Connectivity:

- Hi-Speed USB (compatible with USB 2.0 specification)
- Wireless LAN IEEE (802.11 b/g/n)⁶
- Wired Ethernet (1000 Base-T/100 Base-TX/10 Base-T)
- Wi-Fi Direct⁶

Network Protocols:

TCP/IP v4/v6

Network Printing Protocols:

IPP, LDP, Port 9100, WSD

Network Management Protocols:

SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP, WSD, LLTD

WLAN Security:

WEP 64 Bit, WEP 128 Bit, WPA PSK (AES)

Mobile Printing:

Epson Connect:

Epson Email Print, Epson iPrint™ Mobile App, Epson Remote Print

Other:

Apple® AirPrint®, Google Cloud Print™, Fire™ OS

Paper Handling:

PC-Free Paper Support:

- Plain (Letter, Legal, A4)
- Photo (4" x 6", 5" x 7", 8" x 10", Letter, A4)

Paper Sizes:

3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x 14", A4, A6, half letter, executive, user definable (3.5" – 47.2" in length)

Maximum Paper Size:

8.5" x 47.2"

Paper Types:

- Plain paper
- Epson Bright White Paper
- Epson Presentation Paper Matte
- Epson Premium Presentation Paper Matte
- Epson Premium Presentation Paper Matte Double-sided
- Epson Premium Photo Paper Glossy
- Epson Ultra Premium Photo Paper Glossy
- Epson Premium Photo Paper Semi-gloss

Automatic Document Feeder:

50 pages

Envelope Types:

No. 10

Paper Capacity:

- 830 sheets plain paper (250 sheets plain paper x 1 tray)
- 500 sheets plain paper optional tray
- Rear feed: 80 sheets, 10 envelopes

Envelope Capacity:

10 envelopes

Printer Details:

Display:

4.3" color touchscreen

Printer Language:

Epson ESC/P-R

Software Included:

Epson printer driver, Document Capture Pro¹⁰

Monthly Duty Cycle:

Up to 45,000 pages (Recommended monthly page volume: up to 2,500 pages)³

Telecom Regulations:

FCC Part 68 (U.S.A.), IC/CS03 (Canada)

Power:

Rated Voltage:

AC 100 – 240V Universal (Automatic)

Rated Frequency:

50 – 60 Hz

Power Consumption:

- Standalone: Approx. 23 W ISO 24712
- Standby: Approx. 10 W
- Sleep: Approx. 1.5 W
- Power Off: Approx. 0.2 W
- ENERGY STAR[®] qualified
- Typical Energy Consumption (TEC)⁹ 0.2 kWh

Rated Current:

0.8A – 0.4A

Copyright © 2000-2018 Epson America, Inc.